

# Contents

<b>List of Figures</b>	<b>iv</b>
<b>List of Tables</b>	<b>ix</b>
<b>List of Symbols</b>	<b>x</b>
<b>1 Introduction</b>	<b>1</b>
<b>2 State of Scientific Knowledge</b>	<b>5</b>
2.1 Parameter of Influence describing the Drop Impact Dynamics . . . . .	5
2.2 Non-Dimensional Quantities describing the Drop Impact Dynamics . . . . .	6
2.3 Drop-to-Film Interaction in Aero-Engine Bearing Chambers . . . . .	7
2.4 Phenomenological Description of the Impingement Regimes . . . . .	10
2.5 Transitional Regime Thresholds between Spreading and Splashing . . . . .	15
2.6 Secondary Droplet Generation within the Splashing Regime . . . . .	21
2.6.1 Crown and Cavity Evolution in the Splashing Regime . . . . .	21
2.6.2 Theory of Instability Driving the Break up of the Crown's Rim . . . . .	26
2.6.3 Secondary Drop Characteristics during the Drop Impact . . . . .	30
2.7 Numerical Simulation of the Single Drop Impact onto Liquid Films . . . . .	35
2.8 Modelling Spray Impact . . . . .	39
2.9 Concretization of Objectives and Aim of Investigation . . . . .	42
<b>3 Numerical Method and CFD Modelling of Single Drop Impacts</b>	<b>45</b>
3.1 Mathematical Method - Volume-Of-Fluid Method . . . . .	45
3.2 Numerical Solution Procedure . . . . .	47
3.2.1 Discretization Procedure . . . . .	47
3.2.1.1 Discretization of the Spatial Derivatives . . . . .	47
3.2.1.2 Discretization of the Temporal Derivatives . . . . .	49
3.2.2 Pressure-Velocity Coupling . . . . .	51
3.2.3 Adaptive Mesh Refinement . . . . .	51
3.3 Computational Domain and Initial/Boundary Conditions . . . . .	52
3.3.1 2D-VOF-AMR - Numerical Model for Crown and Cavity Expansion . . . . .	53

3.3.2	3D-VOF-AMR - Numerical Model for Splashing . . . . .	55
3.4	Concluding Discussion . . . . .	58
<b>4</b>	<b>Experimental Validation of the VOF-AMR Method</b>	<b>59</b>
4.1	Experimental Method . . . . .	59
4.2	Results and Discussion . . . . .	71
4.2.1	Study of the Transitional Threshold between Spread and Splash . . . . .	71
4.2.2	Assessment of the 3D-VOF-AMR Method . . . . .	72
4.2.3	Assessment of the Axisymmetric 2D-VOF-AMR Method . . . . .	84
4.3	Concluding Discussion . . . . .	88
<b>5</b>	<b>Products of Splashing Drop Impingements without Wall Effects</b>	<b>89</b>
5.1	Fundamental Description of a Splashing Impingement . . . . .	89
5.2	Analysis of the Instability driving the Disintegration of the Crown . . . . .	92
5.3	Evaluation Procedure for the Following Parametric Study . . . . .	96
5.4	Effect of the Impinging Weber number . . . . .	97
5.5	Effect of the Froude number $Fr$ . . . . .	102
5.6	Effect of the Impinging Ohnesorge Number . . . . .	108
5.7	Effect of the Impingement Angle $\alpha$ . . . . .	113
5.8	Concluding Discussion . . . . .	119
<b>6</b>	<b>Products of Splashing Drop Impingements with Wall Effects</b>	<b>121</b>
6.1	Cavity Penetration during Deep Pool Drop Impact . . . . .	121
6.1.1	Fundamental Description of the Cavity Evolution . . . . .	121
6.1.2	Effect of the Froude Number on the Cavity Penetration . . . . .	126
6.1.3	Effect of the Impinging Weber number on the Cavity Penetration . . . . .	129
6.1.4	Effect of the Ohnesorge Number on the Cavity Penetration . . . . .	131
6.1.5	Effect of Impingement Angle on the Cavity Penetration . . . . .	133
6.2	Effect of Cavity Penetration & Liquid Film Height on the Secondary Drop Generation . . . . .	136
6.2.1	Relation between Cavity Penetration and Lamella Expansion . . . . .	136
6.2.2	Effect of the Ratio $H^*/\Delta_{max,deep}$ on Secondary Drop Generation . . . . .	140

---

<b>7</b>	<b>Correlations for the Products of Splashing</b>	<b>145</b>
7.1	Requirements for the Drop-Film Interaction Model . . . . .	145
7.2	Correlations for the Maximum Cavity Penetration and the Lamella Rim Height	147
7.3	Correlating the Secondary Drop Characteristics and Ejected Mass Fraction . . .	151
7.4	Drop-Film Interaction Model . . . . .	155
7.5	Significance of the Model for Numerical Simulation of Aero-Engine Oil Systems	156
<b>8</b>	<b>Summary and Outlook</b>	<b>157</b>
	<b>Literature</b>	<b>161</b>
	<b>Appendix</b>	<b>175</b>
A.1	First Part . . . . .	175
A.2	Second Part . . . . .	179
A.3	Spray-Film Interaction Model derived from Single Drop Impingement Data . .	179