

<b>Summary</b>		<b>v</b>
<b>Nomenclature</b>		<b>xi</b>
<b>1 Introduction</b>		<b>1</b>
1.1 Skill, rule, knowledge based behavior . . . . .		3
1.2 Cybernetic approach . . . . .		6
1.2.1 Target-tracking and disturbance-rejection control tasks . . . . .		6
1.2.2 Successive Organization of Perception . . . . .		7
1.2.3 Linearity and time variance of HC models . . . . .		11
1.3 Empirical evidence for feedforward in manual control . . . . .		12
1.4 Human modeling and identification . . . . .		13
1.5 Goal and approach . . . . .		15
1.6 Outline of the thesis . . . . .		16
1.6.1 Guidelines for the reader . . . . .		17
<b>I Exploring the presence of feedforward in manual control tasks</b>		<b>19</b>
<b>2 Identification of the feedforward component with predictable target signals</b>		<b>21</b>
2.1 Introduction . . . . .		23
2.2 Background . . . . .		24
2.2.1 The Successive Organisation of Perception . . . . .		24
2.2.2 Compensatory control models . . . . .		27
2.2.3 Feedforward control models . . . . .		28
2.3 Control Behavior Models and Simulations . . . . .		28
2.3.1 Characteristic forcing function properties . . . . .		28
2.3.2 Ramp-tracking performance metrics . . . . .		29
2.3.3 Compensatory control models . . . . .		29
2.3.4 Feedforward control model . . . . .		31
2.3.5 Simulations of control behavior . . . . .		32

2.4	Experiment . . . . .	34
2.4.1	Method . . . . .	34
2.4.2	Dependent measures . . . . .	37
2.4.3	Hypotheses . . . . .	38
2.5	Results . . . . .	38
2.5.1	Measured time traces . . . . .	38
2.5.2	Non-parametric analysis of conditions without ramps . . . . .	39
2.5.3	Control activity and tracking performance metrics . . . . .	40
2.5.4	Compensatory modeling results . . . . .	41
2.5.5	Feedforward modeling results . . . . .	45
2.5.6	ARX model results . . . . .	47
2.6	Discussion . . . . .	49
2.7	Conclusions . . . . .	50
<b>3</b>	<b>Feedforward control behavior during a lateral reposition task</b>	<b>53</b>
3.1	Introduction . . . . .	55
3.2	ADS-33 Lateral reposition task . . . . .	57
3.3	Model of pilot control dynamics . . . . .	58
3.3.1	Control scheme . . . . .	59
3.3.2	Model development conclusions . . . . .	62
3.4	Performance simulations . . . . .	63
3.5	Identification . . . . .	66
3.5.1	Identification approach . . . . .	66
3.5.2	Verification using simulations . . . . .	68
3.6	Experiment . . . . .	70
3.6.1	Method . . . . .	70
3.6.2	Dependent measures . . . . .	74
3.6.3	Hypotheses . . . . .	74
3.7	Results . . . . .	74
3.7.1	Performance measures . . . . .	74
3.7.2	Time histories . . . . .	75
3.7.3	Identification . . . . .	75
3.8	Discussion . . . . .	77
3.9	Conclusions . . . . .	79
<b>II</b>	<b>Development of an identification procedure for feedforward in manual control tasks</b>	<b>83</b>
<b>4</b>	<b>Constraints in identification of multi-loop feedforward models</b>	<b>85</b>
4.1	Introduction . . . . .	87
4.2	Control Task and HC Model . . . . .	88
4.2.1	Control Task . . . . .	88
4.2.2	HC Model . . . . .	89
4.3	Identification methods . . . . .	90
4.3.1	ARX model estimation . . . . .	90
4.3.2	Indirect two-stage method . . . . .	91
4.3.3	Direct method . . . . .	92

4.3.4	Model selection . . . . .	92
4.4	Computer Simulations . . . . .	93
4.5	Results . . . . .	93
4.5.1	Model fit quality . . . . .	93
4.5.2	False-positives and false-negatives . . . . .	94
4.5.3	Frequency response of identified models . . . . .	95
4.5.4	False-negative feedforward results . . . . .	95
4.5.5	Comparison between direct and indirect methods . . . . .	97
4.6	Conclusions . . . . .	98
<b>5</b>	<b>Objective model selection for identifying the feedforward response</b>	<b>99</b>
5.1	Introduction . . . . .	101
5.2	Identification Problem and Approach . . . . .	102
5.2.1	Identification problem and objectives . . . . .	102
5.2.2	Approach . . . . .	106
5.3	ARX Identification and Model Selection . . . . .	107
5.4	Model Selection Criterion Tuning . . . . .	110
5.5	Example Identification Problem . . . . .	111
5.5.1	Control Tasks . . . . .	112
5.5.2	HC Models and Remnant Model . . . . .	113
5.5.3	Identification and Parameter Estimation Boundaries . . . . .	115
5.5.4	Computer Simulations . . . . .	116
5.6	Results I: Tuning the Model Selection Criterion . . . . .	116
5.6.1	False-positive Feedforward Model Selection (R.1) . . . . .	116
5.6.2	Time Domain Quality of Fit (R.2) . . . . .	116
5.6.3	Feedforward Model Selection in SI Conditions (R.3) . . . . .	118
5.6.4	Feedforward Model Selection in DI Conditions (R.3) . . . . .	118
5.6.5	Similarity between $\hat{Y}_p^{\text{best}}$ and $Y_p^{\text{hyp}}$ (R.4) . . . . .	120
5.6.6	Conclusions . . . . .	123
5.7	Results II: Analysis of $\hat{Y}_p^{\text{best}}$ - $Y_p^{\text{hyp}}$ Similarity . . . . .	123
5.8	Discussion . . . . .	127
5.9	Conclusions . . . . .	129

**III Investigating three important aspects of feedforward in manual control tasks** **131**

<b>6</b>	<b>Effects of target signal shape and system dynamics on feedforward</b>	<b>133</b>
6.1	Introduction . . . . .	135
6.2	Control task . . . . .	137
6.2.1	System Dynamics $Y_C$ . . . . .	137
6.2.2	Target Signal $f_t$ . . . . .	138
6.3	HC Model . . . . .	138
6.4	Performance simulations . . . . .	140
6.4.1	Simulation properties . . . . .	141
6.4.2	Relative strength of target and disturbance signals . . . . .	142
6.4.3	Anticipating the Target Signal . . . . .	143

6.5	Experiment . . . . .	144
6.5.1	Method . . . . .	144
6.5.2	Dependent Measures . . . . .	146
6.5.3	Hypotheses . . . . .	149
6.6	Experiment results . . . . .	149
6.6.1	Measured Time Traces . . . . .	149
6.6.2	Tracking performance . . . . .	151
6.6.3	Black-Box ARX Identification Results . . . . .	151
6.6.4	Time Domain Parameter Estimation Results . . . . .	158
6.6.5	Anticipatory Feedforward Control Inputs . . . . .	162
6.7	Discussion . . . . .	163
6.8	Conclusions . . . . .	164
<b>7</b>	<b>The predictability of a target signal affects manual feedforward control</b>	<b>167</b>
7.1	Introduction . . . . .	169
7.2	Signal Predictability . . . . .	171
7.2.1	Introduction into Predictability . . . . .	171
7.2.2	Harmonic and Non-harmonic Signals . . . . .	171
7.3	HC Model and Simulations . . . . .	172
7.3.1	HC model . . . . .	172
7.3.2	HC Model Simulations . . . . .	175
7.4	Experiment . . . . .	176
7.4.1	Control Task . . . . .	176
7.4.2	Apparatus . . . . .	176
7.4.3	Experiment Setup and Procedure . . . . .	176
7.4.4	Subjects and Instructions . . . . .	176
7.4.5	HC Model Identification . . . . .	177
7.4.6	Dependent Measures . . . . .	177
7.4.7	Hypotheses . . . . .	177
7.5	Results and discussion . . . . .	177
7.5.1	Tracking performance and control activity . . . . .	177
7.5.2	HC Model Fit . . . . .	177
7.5.3	Magnitude Estimation . . . . .	178
7.6	Conclusions . . . . .	178
<b>8</b>	<b>Simultaneous use of feedforward, error feedback, and output feedback</b>	<b>181</b>
8.1	Introduction . . . . .	183
8.2	Control Task . . . . .	185
8.2.1	Helicopter Yaw Tracking Task . . . . .	185
8.2.2	Identification Considerations and Assumptions . . . . .	186
8.2.3	Forcing Functions . . . . .	187
8.2.4	Helicopter Yaw Dynamics . . . . .	188
8.3	HC models . . . . .	189
8.3.1	Compensatory Error Feedback model, EFB . . . . .	189
8.3.2	Compensatory Error Feedback and Output Feedback model, +OFB . . . . .	190
8.3.3	Feedforward and Compensatory Error Feedback Model, +FF	190

8.3.4	Feedforward, Compensatory Error Feedback and Output Feedback Model, +FF+OFB . . . . .	191
8.3.5	Feedforward (not adapted), Compensatory Error Feedback and Output Feedback model, +FF+OFB (not adapted) . . . . .	193
8.4	Offline HC model simulations . . . . .	193
8.4.1	Target-tracking and disturbance-rejection performance . . . . .	194
8.4.2	Effect of unpredictable target signal and choice of experiment conditions . . . . .	197
8.5	System identification and parameter estimation . . . . .	198
8.5.1	ARX system identification . . . . .	199
8.5.2	Fourier Coefficients System Identification . . . . .	201
8.5.3	Time Domain Parameter Estimation . . . . .	201
8.6	Experiment method . . . . .	201
8.6.1	Independent variables and forcing functions . . . . .	202
8.6.2	Apparatus . . . . .	202
8.6.3	Controlled element dynamics . . . . .	203
8.6.4	Subjects, instructions and procedure . . . . .	203
8.6.5	Dependent measures . . . . .	204
8.6.6	Hypotheses . . . . .	204
8.7	Results . . . . .	205
8.7.1	Tracking performance and control activity . . . . .	205
8.7.2	FC and ARX results of conditions without ramps (S0, M0) . . . . .	206
8.7.3	ARX results of conditions with ramps (M3, M6, S3, S6) . . . . .	207
8.7.4	Parameter Estimation Results . . . . .	214
8.8	Discussion . . . . .	216
8.9	Conclusion . . . . .	219
<b>9</b>	<b>Discussion and recommendations</b> . . . . .	<b>221</b>
9.1	Exploring the presence of feedforward in manual control tasks . . . . .	221
9.1.1	Recommendations for future research . . . . .	224
9.2	Development of an identification procedure for feedforward in manual control tasks . . . . .	224
9.2.1	Other identification approaches for feedforward . . . . .	224
9.2.2	Different applications . . . . .	225
9.2.3	Concerns with the ARX procedure . . . . .	226
9.2.4	Recommendations for future research . . . . .	227
9.3	Investigating three important aspects of feedforward in manual control tasks . . . . .	228
9.3.1	The incentive for utilizing feedforward . . . . .	228
9.3.2	Consistency of feedforward identification results . . . . .	229
9.3.3	Feedforward model elements . . . . .	229
9.3.4	Interaction between feedforward and feedback paths . . . . .	232
9.3.5	Pursuit and precognitive control . . . . .	234
9.3.6	Predictability of a target signal . . . . .	235
9.4	Human modeling and identification . . . . .	236
9.5	A fundamental understanding of feedforward in manual control . . . . .	238

<b>10 Conclusions</b>	<b>241</b>
10.1 Exploring the presence of feedforward in manual control tasks . . .	242
10.2 Development of an identification procedure for feedforward in manual control tasks . . . . .	243
10.3 Investigating three important aspects of feedforward in manual control tasks . . . . .	244
10.4 General conclusions . . . . .	247
<b>Bibliography</b>	<b>249</b>
<b>Samenvatting</b>	<b>261</b>
<b>Publications</b>	<b>267</b>
<b>Acknowledgments</b>	<b>271</b>
<b>Curriculum Vitae</b>	<b>275</b>