

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Aerial Robotics for Civilian Purpose . . . . .	1
1.2	UAV Platform . . . . .	3
1.3	Motivation . . . . .	6
1.4	Characteristics and Challenges . . . . .	8
1.5	Objectives and Outline of the Thesis . . . . .	9
<b>2</b>	<b>External Wrench Estimation</b>	<b>13</b>
2.1	Introduction . . . . .	13
2.1.1	Related Works . . . . .	14
2.1.2	Methodologies . . . . .	15
2.2	Preliminary System Descriptions . . . . .	16
2.2.1	Model of the External Wrench . . . . .	18
2.3	External Wrench (Force/Torque) Observer . . . . .	19
2.4	Disturbance Compensator in Near-Hovering Control . . . . .	22
2.4.1	Standard near-hovering control . . . . .	22
2.4.2	Calculation of roll ( $\phi_c$ ) and pitch ( $\theta_c$ ) compensation . . . . .	24
2.5	Simulations and Analysis . . . . .	26
2.5.1	Hovering with constant wind disturbance . . . . .	26
2.5.2	Hovering with varying wind disturbance . . . . .	29
2.5.3	Trajectory Tracking with constant wind disturbance . . . . .	29
2.5.4	Trajectory Tracking with varying wind disturbance . . . . .	32
2.6	Experimental Validation . . . . .	33
2.6.1	Force Estimation Experiment . . . . .	34
2.6.2	Torque Estimation Experiment . . . . .	34
2.7	Discussions and Possible Extensions . . . . .	37
<b>3</b>	<b>Novel Architecture for Human-UAV Physical Interaction</b>	<b>39</b>
3.1	Introduction . . . . .	39
3.1.1	Related works . . . . .	40
3.1.2	Methodologies . . . . .	42
3.2	Problem Setting . . . . .	44
3.2.1	Preliminary System Descriptions . . . . .	44
3.2.2	Extended Model of the External Wrench . . . . .	44
3.2.3	Force/Torque detectors . . . . .	45

3.3	System Architecture . . . . .	46
3.4	Hardware-Software Design . . . . .	46
3.5	Estimation of the External, Interactive and Disturbance Wrenches . . . . .	49
3.5.1	Estimation of the External Wrench . . . . .	49
3.5.2	Estimation of the disturbance and interaction wrenches . . . . .	50
3.6	Control . . . . .	53
3.6.1	Admittance Control . . . . .	53
3.6.2	Trajectory Tracking Control with Wrench Feedforward . . . . .	55
3.7	Hardware-in-the-loop Physical Simulations . . . . .	57
3.8	Experimental Validation . . . . .	60
3.8.1	Continuously Pushing, Sudden Impact and Multiple PoCs . . . . .	61
3.8.2	Trajectory tracking during human interaction with varying stiffness	63
3.9	Discussions and Possible Extensions . . . . .	64
<b>4</b>	<b>Robust Adaptive Super Twisting Control</b>	<b>67</b>
4.1	Introduction . . . . .	67
4.1.1	Related Works . . . . .	68
4.1.2	Methodologies . . . . .	68
4.2	Preliminary System Descriptions . . . . .	69
4.2.1	Dynamic System Model . . . . .	69
4.2.2	Regular Control Form . . . . .	71
4.2.3	Uncertainties . . . . .	74
4.3	Control . . . . .	75
4.3.1	Adaptive Super Twisting Control . . . . .	76
4.3.2	Feedforward Control . . . . .	78
4.4	Physical Simulations . . . . .	78
4.4.1	Experimental Setup . . . . .	79
4.4.2	Robustness of ASTC . . . . .	81
4.4.3	Comparison of ASTC and STC . . . . .	81
4.5	Discussions and Possible Extensions . . . . .	83
<b>5</b>	<b>Fully-actuated Hexarotor Aerial Vehicle with Tilted Propellers</b>	<b>85</b>
5.1	Introduction . . . . .	86
5.1.1	Related Works . . . . .	86
5.1.2	Methodologies . . . . .	87
5.2	Design and Modeling . . . . .	88
5.2.1	Static System Description . . . . .	88
5.2.2	Equations of Motion . . . . .	91
5.3	Control Design . . . . .	93
5.3.1	Exact Feedback Linearization and Decoupling Control . . . . .	94
5.4	A Preliminary Prototype . . . . .	96
5.4.1	Discussion on the Invertibility of $J(\alpha_h, \beta_h)$ . . . . .	97

5.4.2 Optimization of $\alpha_h$ and $\beta_h$ . . . . .	98
5.5 Simulations and Analysis . . . . .	101
5.5.1 Reorienting while hovering with external disturbance . . . . .	101
5.5.2 6 DoF trajectory tracking . . . . .	103
5.6 Hexarotor Prototype . . . . .	103
5.6.1 Hardware . . . . .	106
5.6.2 Software . . . . .	107
5.7 Experimental Validation . . . . .	107
5.7.1 Hovering and Reorienting . . . . .	108
5.7.2 6 DoF Trajectory Tracking . . . . .	110
5.8 Discussions and Possible Extensions . . . . .	112
<b>6 Human-UAV Physical Interaction with a Fully Actuated UAV</b>	<b>115</b>
6.1 Introduction . . . . .	116
6.1.1 Related Works . . . . .	118
6.1.2 Methodologies . . . . .	118
6.2 Design and Modeling . . . . .	118
6.3 UAV-HRPI System . . . . .	120
6.3.1 Interaction Wrench Observer . . . . .	121
6.3.2 Admittance Control . . . . .	122
6.3.3 Adaptive Super Twisting Control . . . . .	123
6.4 Simulations and Analysis . . . . .	129
6.4.1 Human-Robot Physical Interaction with a Fully Actuated UAV .	129
6.4.2 Comparison of Underactuated and Fully-Actuated dynamics .	134
6.5 Discussions and Possible Extensions . . . . .	134
<b>7 Conclusions</b>	<b>137</b>
7.1 Future Research Directions . . . . .	139
<b>A Technical Computations</b>	<b>141</b>
A.1 Computation of Fully Actuated Hexarotor Model . . . . .	141
A.1.1 Translational Dynamics . . . . .	142
A.1.2 Rotational Dynamics . . . . .	145
<b>B Mechanical Schematics</b>	<b>151</b>
<b>Nomenclature</b>	<b>157</b>
<b>Symbols</b>	<b>159</b>
<b>Abbreviations</b>	<b>161</b>
<b>Bibliography</b>	<b>163</b>