

1	Zusammenfassung	1
2	Abstract	2
3	Introduction	3
3.1	Structure of the human skin	3
3.2	Epidermal homeostasis	4
3.2.1	Proliferation of keratinocytes	4
3.2.2	Differentiation of keratinocytes	7
3.3	Barrier function of the skin	8
3.3.1	Disturbances of the barrier function	9
3.3.2	Epidermal hydration	10
3.4	Mechanism of cell volume regulation	10
3.4.1	Cell volume regulation during proliferation	13
3.4.2	Volume-regulated anion channels	13
3.4.3	The LRRC8 family	15
4	Aim of the study	18
5	Results	19
5.1	LRRC8A is expressed in basal keratinocytes of human epidermis and in cultured human keratinocytes	19
5.2	Keratinocytes respond to hypotonic stress with activation of VRACs during regulatory volume decrease	20
5.2.1	Measurement of VRAC activity by hypotonicity-induced hsYFP quenching	21
5.2.2	Measurement of regulatory volume decrease using calcein	24
5.2.3	Contribution of VRACs to regulatory volume decrease	25
5.3	Hypotonic stimulation leads to elevation of intracellular $Ca^{2+}$ which increases VRAC activity and RVD	27
5.3.1	Hypotonic stimulation increases intracellular $Ca^{2+}$ concentration	27
5.3.2	VRAC activity is modulated by $Ca^{2+}$	28
5.3.3	RVD is accelerated by extracellular $Ca^{2+}$	29
5.4	LRRC8A is essential for VRAC activity and involved in RVD of human keratinocytes	31
5.4.1	Generation of HaCaT keratinocytes devoid of <i>LRRC8A</i>	32
5.4.2	VRAC activity is abolished in HaCaT- <i>LRRC8A</i> <sup>-/-</sup> cells	34
5.4.3	RVD is reduced in HaCaT- <i>LRRC8A</i> <sup>-/-</sup> cells	35

5.4.4	Generation of <i>LRRC8A</i> knock-out in primary keratinocytes-----	36
5.4.5	Reduced VRAC activity in NHEK- <i>LRRC8A</i> KO cells-----	37
5.4.6	Reduced RVD in NHEK- <i>LRRC8A</i> KO cells -----	37
5.5	<i>LRRC8A</i> is involved in proliferation of HaCaT keratinocytes-----	39
5.6	<i>LRRC8A</i> modifies differentiation of HaCaT keratinocytes-----	41
5.6.1	Differentiation of HaCaT keratinocytes by post-confluent growth-----	41
5.6.2	Differentiation of HaCaT keratinocytes by extracellular Ca <sup>2+</sup> concentration	45
5.6.3	Epidermis equivalents demonstrate disturbed differentiation of HaCaT keratinocytes in absence of <i>LRRC8A</i> -----	48
5.7	<i>LRRC8A</i> is not involved in barrier function of epidermis equivalents -----	51
6	Discussion -----	55
6.1	Keratinocyte-specific expression of the <i>LRRC8</i> gene family -----	55
6.2	<i>LRRC8A</i> is an essential VRAC component and contributes to RVD of cultured human keratinocytes-----	55
6.3	Elevated intracellular Ca <sup>2+</sup> concentration increases VRAC activity and RVD during hypotonic stress response -----	58
6.4	<i>LRRC8A</i> might contribute to the proliferation-differentiation transition of keratinocytes-----	59
6.5	Perspective-----	63
7	Material and Methods -----	64
7.1	Tissue culture -----	64
7.1.1	General tissue culture conditions-----	64
7.1.2	Cultivation of HaCaT cells-----	64
7.1.3	Cultivation of NHEK cells -----	64
7.1.4	Determination of cell number -----	65
7.1.5	Freezing and thawing of tissue culture cells-----	65
7.1.6	Generation of <i>LRRC8A</i> knock-out cells using CRISPR-Cas9 technology-----	66
7.1.7	Generation of stable HaCaT- <i>hsYFP</i> cells-----	66
7.1.8	Transduction of HaCaT cells and NHEKs to express <i>hsYFP</i> -----	67
7.1.9	Differentiation of HaCaT cells by Ca <sup>2+</sup> induction -----	67
7.1.10	Differentiation of HaCaT cell by post-confluent growth-----	67
7.1.11	Generation of epidermis equivalents -----	67
7.2	Molecular biology-----	68
7.2.1	RNA isolation from tissue culture cells -----	68

7.2.2	Transcriptome data analysis	68
7.2.3	Isolation of genomic DNA from tissue culture cells	69
7.2.4	Target site-specific PCR	69
7.2.5	Agarose gel electrophoresis	69
7.2.6	Sanger sequencing	70
7.2.7	Nanopore sequencing	70
7.2.8	Preparation of whole cell lysates	70
7.2.9	SDS-PAGE and Western blot	71
7.2.10	Immunohistochemistry of skin specimen and epidermis equivalents	71
7.3	Cell-based measurements	72
7.3.1	Measuring of VRAC activity using hsYFP	72
7.3.2	Measuring of regulatory volume decrease using calcein-AM	74
7.3.3	Measuring changes in intracellular Ca <sup>2+</sup> concentration using Fluo4-AM	75
7.3.4	Determination of the population doubling time	76
7.3.5	Determination of metabolic activity using WST-1	76
7.3.6	Determination of DNA synthesis using BrdU incorporation	76
7.3.7	Determination of the outside-in barrier of epidermis equivalents	77
7.3.8	Statistical analysis	77
7.4	Material	78
8	Supplementary Information	82
9	References	86
10	Appendix	97
10.1	Abbreviations	97
10.2	Ehrenwörtliche Erklärung	99
10.3	<i>Curriculum vitae</i>	100
10.4	Danksagung	101